

GUARANTEED ANALYSIS

Molybdenum (Mo)..... 3.00%

Derived from: Sodium molybdate,
Chelating agent: Sodium glucoheptonate

CONDITIONS OF SALE AND LIMITATION
OF
WARRANTY AND LIABILITY

Limitation of Liability: In no event shall seller or manufacturer be liable for special, incidental or consequential damages, or for damages in the nature of penalties. Seller or manufacturer shall not be liable to buyer, by way of indemnification to customer or buyer, if any, for any damages, sums of money, claims or demands whatsoever, resulting from or by reason of, or rising out of the misuse or the failure to follow label warnings or instructions for use of the goods sold by the seller or manufacturer to buyer. Buyer's or user's exclusive remedy and seller's or manufacturer's total liability shall be for damages not exceeding the cost of the product.

Warranty disclaimer: Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials or the manner of use or application, all of which are beyond the control of the seller or manufacturer. In no case shall seller or manufacturer be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer or its customers shall assume all such risks. Tests have not been carried out under all possible conditions and seller or manufacturer cannot and does not warrant that the product is compatible with all other chemicals. Seller or manufacturer warrants that product is adequately contained, packaged and labeled and conforms to the affirmation of fact made on the container and label. Seller or manufacturer makes no other warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

Company and seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Company.

AgriGuardianTM Moly

Chelated Molybdenum Product LIQUID CONCENTRATE FOR AGRICULTURAL USE

FOR AGRICULTURAL USE WHEN SOIL TEST OR
TISSUE ANALYSIS INDICATES THAT MOLYBDENUM
IS NEEDED BY CROP

- 1 U.S. GALLONS (3.78 LITERS)
NET WEIGHT 9.00 LBS. (4.10 KGS.)
- 2.5 U.S. GALLONS (9.46 LITERS)
NET WEIGHT 22.5 LBS. (10.2 KGS.)
- 275 U.S. GALLONS (1040.88 LITERS)
NET WEIGHT 2475 LBS. (1125 KGS.)

CAUTION!!!
KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW
STORE BETWEEN 32° F and 120° F
(0°C and 49°C)

RECYCLABLE
CONTAINER



A Product of
AgriGuardian Marketing, LLC
P. O. Box 6931
Jefferson City, MO 65102

DISPOSE OF CONTAINERS PROPERLY

SHAKE WELL BEFORE USING.

GENERAL INFORMATION

Product can be used as a seed treatment, root dip, foliar feed and as a soil application. These various types of application enable the soil and the plant to receive direct benefits from the nutrient and growth promoting substances found in Product.

Product is recommended for application on the following crops: Alfalfa, almonds, avocados, apples, bananas, beets, berries, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, celery, citrus, clover, coffee, corn, cotton, cut flowers, grapes, lettuce, grain sorghum, melons, okra, ornamentals, peaches, pecans, peppers, potatoes, peanuts, rice, sorghum, soybeans, sugar beets, sweet corn, sugar cane, strawberries, tobacco, tomatoes, watermelons, wheat.

IMPORTANT NOTE: TEST PRODUCT AND TANK MIX ON SMALL TEST AREA OF CROP TO DETERMINE POSSIBLE PHYTOTOXICITY BEFORE APPLYING TO WHOLE OF FIELD OR CROP.

DIRECTIONS FOR USE

Seed Application: Apply 1/2-1 ounce per acre of seed. Use only enough water to ensure uniform coverage.

Row or Band Application: Apply 4-8 ounces Product per acre, just before or at planting time.

Broadcast Application: Apply 8-16 ounces Product per acre prior to planting and work into the top 3-5 inches of soil.

Foliar Application: Product may be foliar applied at most stages of plant growth at the rate of 2-4 ounces per acre. For best results spray when the crop is in an active growing state after irrigation or natural rainfall. Spray early in the morning or late in the afternoon for best leaf absorption. Use adequate water to wet foliage, typically 5-10 gallons of water per acre of application. (Foliar fertilization is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.)

Product can be applied through standard ground or aerial application equipment, and through standard irrigation or fertigation systems. **Product** may be mixed with most herbicides, pesticides, fungicides and liquid fertilizers.

When using tank mix with other agrichemicals, do a compatibility check to insure proper mixing.

MIXING INSTRUCTIONS

1. Put 2/3 of water in tank.
2. Add correct amount of Product
3. Add other chemicals or fertilizers, if any.
4. Fill tank with balance of water, and agitate until thoroughly mixed.