

GUARANTEED ANALYSIS

Boron (B).....	0.03%
Cobalt (Co).....	0.002%
0.002% Chelated Cobalt	
Iron (Fe).....	0.10%
Manganese (Mn).....	0.10%
0.10% Soluble Manganese	
Molybdenum (Mo).....	0.002%
Zinc (Zn).....	0.05%

Derived from: Boric Acid, Cobalt MEA, Ferrous Sulfate, Manganese Sulfate, Ammonium Molybdate, Zinc Sulfate

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Limitation of Liability: In no event shall seller or manufacturer be liable for special, incidental or consequential damages, or for damages in the nature of penalties. Seller or manufacturer shall not be liable to buyer, by way of indemnification to customer or buyer, if any, for any damages, sums of money, claims or demands whatsoever, resulting from or by reason of, or rising out of the misuse or the failure to follow label warnings or instructions for use of the goods sold by the seller or manufacturer to buyer. Buyer's or user's exclusive remedy and seller's or manufacturer's total liability shall be for damages not exceeding the cost of the product.

Warranty disclaimer: Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials or the manner of use or application, all of which are beyond the control of the seller or manufacturer. In no case shall seller or manufacturer be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer or its customers shall assume all such risks. Tests have not been carried out under all possible conditions and seller or manufacturer cannot and does not warrant that the product is compatible with all other chemicals. Seller or manufacturer warrants that product is adequately contained, packaged and labeled and conforms to the affirmation of fact made on the container and label. Seller or manufacturer makes no other warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

Agri-Gro Marketing Inc. and seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Agri-Gro Marketing Inc.



LIQUID CONCENTRATE FOR AGRICULTURAL USE

5 U.S. GALLONS (18.92 LITERS)
NET WEIGHT 42.2 LBS. (19.14 KGS.)

55 U.S. GALLONS (208.18 LITERS)
NET WEIGHT 465 LBS. (210.9 KGS.)

275 U.S. GALLONS (1040.88 LITERS)
NET WEIGHT 2324 LBS. (1054.2 KGS.)

**CAUTION!!!
KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW
STORE BELOW 120 DEGREES F**

CAUTION -Fertilizing material containing molybdenum (Mo) may result in crops containing levels of Molybdenum (Mo) which are toxic to ruminant animals

RECYCLABLE
CONTAINER



MFG:
F-682
Agri-Gro Marketing, Inc.
HC 4 Box 333
Doniphan, MO 63935

Information regarding the contents and levels of metals in this product is available on the internet at
www.aapfco.org/metals.htm

DISPOSE OF CONTAINERS PROPERLY

SHAKE WELL BEFORE USING. STORE OUT OF DIRECT SUNLIGHT.

GENERAL INFORMATION

FoliarBlend is specifically formulated for foliar applications but may also be soil applied in certain situations. To view all timing and rates of application for your specific crop, please contact your local distributor or visit www.foliarblend.com/applications

FoliarBlend is recommended for use on all crops including: alfalfa, almonds, avocados, apples, bananas, beets, berries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, celery, citrus, clover, coffee, corn, cotton, grapes, lettuce, grain sorghum, melons, okra, peaches, pecans, peppers, potatoes, peanuts, rice, sorghum, soybeans, sugar beets, sweet corn, sugar cane, strawberries, tobacco, tomatoes, watermelons, wheat.

DIRECTIONS FOR USE

Apply FoliarBlend at rates of 1 – 2 pints per acre beginning at early vegetative stage of growth with applications continuing through crop maturity..

For best results spray when the crop is in an active growing state after irrigation or natural rainfall. When midday temperatures exceed 85° F, spray early in the morning or late in the afternoon for best leaf absorption. (Foliar fertilization is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.)

FoliarBlend can be applied through standard ground or aerial application equipment, and through standard irrigation or fertigation systems. **FoliarBlend** may be mixed with most herbicides, pesticides, fungicides and liquid fertilizers.

As with any Agri-Chemical, do a compatibility check to insure proper mixing.

MIXING INSTRUCTIONS

1. PUT 2/3 OF WATER IN TANK.
2. ADD CORRECT AMOUNT OF **FoliarBlend**
3. ADD OTHER CHEMICALS OR FERTILIZER IF ANY.
4. FILL TANK WITH BALANCE OF WATER AND AGITATE UNTIL MIXED.