

GUARANTEED ANALYSIS

Soluble potash (K ₂ O)	6.0%
Magnesium (Mg).....	3.0%
Sulfur (S).....	6.0%
Derived from: Potassium magnesium thiosulfate and magnesium acetate.	

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Limitation of Liability: In no event shall seller or manufacturer be liable for special, incidental or consequential damages, or for damages in the nature of penalties. Seller or manufacturer shall not be liable to buyer, by way of indemnification to customer or buyer, if any, for any damages, sums of money, claims or demands whatsoever, resulting from or by reason of, or rising out of the misuse or the failure to follow label warnings or instructions for use of the goods sold by the seller or manufacturer to buyer. Buyer's or user's exclusive remedy and seller's or manufacturer's total liability shall be for damages not exceeding the cost of the product.

Warranty disclaimer: Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials or the manner of use or application, all of which are beyond the control of the seller or manufacturer. In no case shall seller or manufacturer be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer or its customers shall assume all such risks. Tests have not been carried out under all possible conditions and seller or manufacturer cannot and does not warrant that the product is compatible with all other chemicals. Seller or manufacturer warrants that product is adequately contained, packaged and labeled and conforms to the affirmation of fact made on the container and label. Seller or manufacturer makes no other warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

Company and seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Company.

AgriGuardian™ 0-0-6 with 3% Mg and 6% S

LIQUID CONCENTRATE

FOR AGRICULTURAL AND TURF USE WHEN SOIL TEST OR TISSUE ANALYSIS INDICATES THAT THESE NUTRIENTS ARE NEEDED BY CROP.

- 1 U.S. GALLON
NET WEIGHT 9.5 LBS. (4.31 KGS.)
- 2.5 U.S. GALLONS
NET WEIGHT 23.75 LBS. (10.78 KGS.)
- 275 U.S. GALLONS
NET WEIGHT 2612.5 LBS. (1185 KGS.)

Precautions

Never mix spray concentrates directly together.

Product may react with some herbicides, fungicides and insecticides. Do "jar test" before mixing with other pesticides and chemicals

DO NOT OVER APPLY!

RECYCLABLE
CONTAINER



A Product of
AgriGuardian Marketing, LLC
P. O. Box 6931
Jefferson City, MO 65102

DISPOSE OF CONTAINERS PROPERLY

SHAKE WELL BEFORE USING.

GENERAL INFORMATION

Product can be used as a foliar feed, in furrow application and as a soil application. These various types of application enable the soil and the plant to receive direct benefits from the nutrient and growth promoting substances found in Product.

Product is recommended for application on the following crops: Alfalfa, almonds, avocados, apples, bananas, beets, berries, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, celery, citrus, clover, coffee, corn, cotton, cut flowers, grapes, lettuce, grain sorghum, melons, okra, ornamentals, peaches, pecans, peppers, potatoes, peanuts, rice, sorghum, soybeans, sugar beets, sweet corn, sugar cane, strawberries, tobacco, tomatoes, watermelons, wheat.

IMPORTANT NOTE: TEST PRODUCT AND TANK MIX ON SMALL TEST AREA OF CROP TO DETERMINE POSSIBLE PHYTOTOXICITY BEFORE APPLYING TO WHOLE OF FIELD OR CROP.

DIRECTIONS FOR USE

Row or Band Application: Apply 1-2 quarts of Product per acre, just before or at planting time. Higher rates may be used if no direct contact with seed.

Broadcast Application: Apply 1-4 gallons Product per acre prior to planting and work into the top 3-5 inches of soil. For turf apply 2 ounces per 1000 square feet per week or as needed. Use adequate water to obtain uniform coverage.

Foliar Application: Product may be foliar applied at most stages of plant growth at the rate of 1-4 quarts per acre. For best results spray when the crop is in an active growing state after irrigation or natural rainfall. Spray early in the morning or late in the afternoon for best leaf absorption. Use adequate water to wet foliage, typically 5-10 gallons of water per acre of application. (Foliar fertilization is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.)

Product can be applied through standard ground or aerial application equipment, and through standard irrigation or fertigation systems. **Product** may be mixed with most liquid fertilizers, and many herbicides, fungicides, and insecticides.

When using tank mix with other agrichemicals, do a compatibility check to insure proper mixing.

MIXING INSTRUCTIONS

1. Put 2/3 of water in tank.
2. Add correct amount of Product
3. Add other chemicals or fertilizers, if any.
4. Fill tank with balance of water, and agitate until thoroughly mixed.